MSDS Material Safety Data Sheet
Blended Waxes, Inc.

Duck Wax

MSDS Number: 050 Revision Date: 4/1/09

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Blended Waxes, Inc.
1512 S. Main Street
P.O. Box 3044
Oshkosh, WI 54902

Contact: Lab
Telephone Number: (920) 236-8080
FAX Number: (920) 236-8081
E-Mail:
Web www.blendedwaxes.com

Product Name:	Duck Wax
Revision Date:	4/1/09
MSDS Number:	050
Common Name:	Paraffin Wax
CAS Number:	8002742
Product Use:	This wax is most commonly used for removing feathers off of waterfowl such as ducks and ge

2 HAZARDS IDENTIFICATION

Route of Entry:	Mouth, skin
Target Organs:	NA
Inhalation:	Yes
Skin Contact:	Yes
Eye Contact:	NA
Ingestion:	No

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name
63231607		Paraffin waxes and Hydrocarbon waxes, microcryst.
8002742		Paraffin wax fume

4 FIRST AID MEASURES

Inhalation: Mild respiratory irritation or discomfort. Move affected person to fresh air.
Skin Contact: Flush with cold water, seek medical attention.
Eye Contact: Yes, when product is molten
Ingestion: NA

5 FIRE FIGHTING MEASURES

Flash Point: 415 F
Flash Point Method: C.O.C.
LEL: NA
UEL: NA
Flammability Classification: NA

Dry chemical, CO2, foam or water fog. Treat as an oil fire, do not use direct stream of water.

6 ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions.

7 HANDLING AND STORAGE

Handling Precautions: Avoid heating to above 300 F to prevent build up of fumes
Storage Requirements: Store in cool, dry area away from heat or direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:
Protective Equipment: HMIS PP, B | Goggles, Gloves
Exposure Guidelines/Other: Provide adequate ventilation to prevent build up of fumes.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White, waxy solid
Physical State:
Odor: Little or no odor
pH:
Vapor Pressure: NA
Vapor Density: NA

Boiling Point: NA
Freezing/Melting Pt.: 138 F - 142 F
Solubility: Nil <0.1%
Spec Grav./Density: <.84

Evap. Rate: NA

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	NA
Materials to avoid (incompatability):	Strong oxidizing agents
Hazardous Decomposition products:	CO, CO2 and unidentified organic compounds are byproducts of combustion.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

12 ECOLOGICAL INFORMATION

13 DISPOSAL CONSIDERATIONS

Incineration or burial in accordance with local, state and federal regualtions.

14 TRANSPORT INFORMATION

15 REGULATORY INFORMATION

```
COMPONENT / (CAS/PERC) / CODES
---------------------------------------------------------------
*Paraffin wax fume (8002742 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS
---------------------------------------------------------------
MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
```

16 OTHER INFORMATION

END OF MSDS DOCUMENT